

Masstone	Tint	Code	Name	Colour Index	Pigment %
<b>BASIC MODULE</b>					
		<b>XBO (*)</b>	WHITE	P.W.6	60
		<b>XGO (*)</b>	YELLOW OXIDE	P.Y.42	55
		<b>JV</b>	YELLOW	P.Y.74	30
		<b>OGB</b>	ORANGE	P.O.5	15
		<b>XRO (*)</b>	RED OXIDE	P.R.101	65
		<b>DP</b>	RED	P.R.254	40
		<b>PK</b>	MAGENTA	P.R.122	20
		<b>SM</b>	BLUE	P.B.15:3	18
		<b>GV</b>	GREEN	P.G.7	10
		<b>BK</b>	BLACK	P.Bk.7	20
<b>EXTERIORS MODULE</b>					
		<b>XGL (*)</b>	BISMUTH YELLOW	P.Y.184	50
		<b>XBR (*)</b>	ORANGE OXIDE	P.R.101	45
		<b>XRG</b>	SCARLET	P.R.168	15
		<b>XLR (*)</b>	BLUE OXIDE	P.B.28	60
		<b>XVO (*)</b>	GREEN OXIDE	P.G.17	60
		<b>XNO (*)</b>	BLACK OXIDE	P.Bk.11	55
<b>REFLECTIVE SOLAR RAYS</b>					
		<b>XNR (*)</b>	REFLECTIVE BLACK	P.Br.29	55
<b>WOOD MODULE</b>					
		<b>XGT (*)</b>	YELLOW OXIDE TR.	P.Y.42	30
		<b>XRT (*)</b>	RED OXIDE TR.	P.R.101	30
<b>OTHER OPTIONS</b>					
		<b>YG</b>	YELLOW	P.Y.3	37
		<b>GB</b>	YELLOW	P.Y.74	25
		<b>XHG</b>	EXTERIOR YELLOW	P.Y.154	35
		<b>GM</b>	WARM YELLOW	P.Y.83	40
		<b>XGA (*)</b>	YELLOW ORANGE	P.Y.42	50
		<b>PP</b>	ORANGE	P.O.73	30
		<b>RV</b>	RED	P.R.112	30
		<b>RR</b>	VIOLET	P.V.23	5
		<b>VS</b>	BLUE	P.B.15:1	10

X = colorants with code preceded by X are based on pigments with excellent light fastness and weather resistance  
 (\*) = colorants with inorganic pigments suitable for silicates, siloxanes and silicone based paints even in high alkaline environments

**Disclaimer:** The information we provide, while being based on our best knowledge, can only have indicative nature, therefore they do not imply any responsibility on our part. Since the performance of our products depends also on the additives and polymers used, we recommend customers to test their suitability for the end application. The color samples are printed and therefore the shades are purely indicative. The quality of our products is guaranteed under general conditions of sale.