

Masstone	Tint	Code	Name	Colour Index	Pigment %
<b>ORGANIC PIGMENTS - INTERIORS/ EXTERIORS</b>					
		<b>YC</b>	LEMON YELLOW	P.Y.3	25
		<b>ER (*)</b>	EXTERIOR YELLOW	P.Y.154	25
		<b>YB</b>	BRILLIANT YELLOW	P.Y.74	25
		<b>YG</b>	GOLD YELLOW	P.Y.83	20
		<b>ER (*)</b>	FIRE RED	P.R.168	15
		<b>RB</b>	VIVID RED	P.R.112	25
		<b>PC</b>	PINK	P.R.122	20
		<b>VC</b>	VIOLET	P.V.23	15
		<b>BC</b>	BLUE	P.B.15:3	25
		<b>GC</b>	GREEN	P.G.7	25
		<b>BC</b>	BLACK	P.Bk.7	15

(\*) = colorants based on pigments with excellent light fastness and weather resistance

Masstone	Tint	Code	Name	Colour Index	Pigment %
<b>INORGANIC PIGMENTS - INTERIORS/ EXTERIORS</b>					
		<b>OX-W</b>	WHITE	P.W.6	50
		<b>OX-YB</b>	BISMUTH YELLOW	P.Y.184	25
		<b>OX-YC</b>	OCRA YELLOW	P.Y.42	50
		<b>OX-O</b>	ORANGE	MIX	55
		<b>OX-OB</b>	BRILLIANT ORANGE	P.R.101	25
		<b>OX-R</b>	RED OXIDE	P.R.101	50
		<b>OX-B</b>	BROWN	MIX	55
		<b>OX-U</b>	UMBER	MIX	60
		<b>OX-G</b>	GREEN OXIDE	P.G.17	50
		<b>OX-BC</b>	COBALT BLUE	P.B.28	40
<b>INORGANIC PIGMENTS - WOOD</b>					
		<b>OX-YT</b>	YELLOW OXIDE TR.	P.Y.42	35
		<b>OX-RT</b>	RED OXIDE TR.	P.R.101	35

All colorants based on pigments with excellent light fastness and weather resistance.

All colorants with inorganic pigments to be used with silicates, siloxanes and silicone based paints even in high alkaline environments

**Disclaimer:** The information we provide, while being based on our best knowledge, can only have indicative nature, therefore they do not imply any responsibility on our part. Since the performance of our products depends also on the additives and polymers used, we recommend customers to test their suitability for the end application. The color samples are printed and therefore the shades are purely indicative. The quality of our products is guaranteed under general conditions of sale.